

# Safety Data Sheet

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1 Product identifier

# **Yanmar Genuine Engine Coolant**

Product Number(s): 804056

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Heavy Duty Coolant

Uses advised against: Consult supplier when used other than those specified.

# 1.3 Details of the supplier of the safety data sheet

Chevron Belgium BV Zuiderpoort Office Park Gaston Crommenlaan 4 9050 Gent

Belaium

email: eumsds@chevron.com

# 1.4 Emergency telephone number **Transportation Emergency Response**

CHEMTREC: +1 703 527 3887

**Health Emergency** 

Centre Antipoisons: +32022649636

Chevron Emergency Information Center: International calls accepted 24 hours: +1 510 231 0623

Poison Control Center: Belgium: 0032/(0)70 245 245

**Product Information** 

Product Information: 0032/(0)9 293 71 11

#### **SECTION 2 HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

# **CLP CLASSIFICATION:**

- · Reproductive toxicant (developmental): Category 1B, H360D; May damage the unborn child.
- Target organ toxicant (repeated exposure): Category 2, H373; May cause damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements

Under the criteria of Regulation (EC) No 1272/2008 (CLP):



Signal Word: Danger

**Revision Number:** 3 1 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024

**SDS**: 60006

#### **HAZARD STATEMENTS:**

#### **Health Hazards:**

May damage the unborn child (H360D).

May cause damage to organs (Kidney) through prolonged or repeated exposure (H373).

- contains: Ethylene glycol

Sodium 2-ethylhexanoate

#### **PRECAUTIONARY STATEMENTS:**

#### General:

- If medical advice is needed, have product container or label at hand (P101).
- · Keep out of reach of children (P102).

#### Prevention:

- Do not breathe dust/fume/gas/mist/vapours/spray (P260).
- Wear protective gloves/protective clothing/eye protection/face protection (P280).

## Response:

IF exposed or concerned: Get medical advice/attention (P308+P313).

#### Disposal:

• Dispose of contents and container in accordance with applicable local, regional, national, and international regulations (P501).

#### 2.3 Other hazards

This product is not, or does not contain, a substance that is a potential PBT or a vPvB. This product is not, or does not contain, a substance that potentially has endocrine disrupting properties.

#### SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

## 3.2 Mixtures

This material is a mixture.

COMPONENTS	CAS NUMBER	EC NUMBER		CLP CLASSIFICATION	AMOUNT
Ethylene glycol	107-21-1	203-473-3		Acute Tox. 4/H302; STOT RE 2/H373	34 - < 80 %weight
Sodium 2- ethylhexanoate	19766-89-3	243-283-8	Exempt		0.1 - < 3 %weight

The full text of all CLP H-statements is shown in Section 16.

# SECTION 4 FIRST AID MEASURES

#### 4.1 Description of first aid measures

**Eye:** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

**Skin:** No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

**Ingestion:** If swallowed, get immediate medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**Inhalation:** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

#### 4.2 Most important symptoms and effects, both acute and delayed

Revision Number: 3 2 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006

#### **IMMEDIATE SYMPTOMS AND HEALTH EFFECTS**

**Eve:** Not expected to cause prolonged or significant eye irritation.

**Skin:** Contact with the skin is not expected to be harmful.

**Ingestion:** May be harmful if swallowed.

**Inhalation:** Breathing this material at concentrations above the recommended exposure limits may cause central nervous system effects. Central nervous system effects may include headache, dizziness, nausea, vomiting, weakness, loss of coordination, blurred vision, drowsiness, confusion, or disorientation. At extreme exposures, central nervous system effects may include respiratory depression, tremors or convulsions, loss of consciousness, coma or death.

**DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS:** This material may cause harm to the unborn child based on animal data. Contains material that may cause damage to the following organ(s) following repeated inhalation at concentrations above the recommended exposure limit: Kidney

See Section 11 for additional information. Risk depends on duration and level of exposure.

**4.3 Indication of any immediate medical attention and special treatment needed** Not applicable.

# **SECTION 5 FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing media

Dry Chemical, CO2, Aqueous Film Forming Foam (AFFF) or alcohol resistant foam.

# 5.2 Special hazards arising from the substance or mixture

**Combustion Products:** Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Sodium .

#### 5.3 Advice for firefighters

This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition in vicinity of spilled material. Refer to Sections 5 and 8 for more information.

# **6.2 Environmental precautions**

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

# 6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

#### 6.4 Reference to other sections

See sections 8 and 13.

Revision Number: 3 3 of 11 Yanmar Genuine Engine Coolant

Revision Date: August 23, 2024 SDS: 60006

# **SECTION 7 HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

**General Handling Information:** Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

**Precautionary Measures:** Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Do not breathe vapor or fumes. Wash thoroughly after handling. Keep out of the reach of children.

**Static Hazard:** Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

**Container Warnings:** Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

# 7.2 Conditions for safe storage, including any incompatibilities Not Applicable

7.3 Specific end use(s): Heavy Duty Coolant

#### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **GENERAL CONSIDERATIONS:**

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.

Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals which may contact the same PPE, physical requirements (fit & sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

#### 8.1 Control parameters

**Occupational Exposure Limits:** 

Component	Country/ Agency	Form	TWA	STEL	Ceiling	Notation
Ethylene glycol	Belgium	Aerosol	52 mg/m3		104 mg/m3 [ Skin ]	Skin
Ethylene glycol	EU- Indicative		52 mg/m3	104 mg/m3		Skin

Consult local authorities for appropriate values.

#### 8.2 Exposure controls

## **ENGINEERING CONTROLS:**

Use general ventilation, local exhaust ventilation, or a combination of both.

# PERSONAL PROTECTIVE EQUIPMENT

**Eye/Face Protection:** Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on

Revision Number: 3 4 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006

the work operations conducted.

**Skin Protection:** Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. **Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced.** Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

Chemical Glove Material	Thickness (mm)	Typical Breakthrough Time (minutes)
Butyl	0.7	120
Neoprene	0.61	120
Nitrile	0.8	120
Polyvinyl Chloride (PVC)	1.1	120
Viton Butyl	0.3	120

**Respiratory Protection:** Determine if airborne concentrations are below the recommended occupational exposure limits for jurisdiction of use. If airborne concentrations are above the acceptable limits, wear an approved respirator that provides adequate protection from this material, such as: Air-Purifying Respirator for Organic Vapors, Dusts and Mists. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

# **ENVIRONMENTAL EXPOSURE CONTROLS:**

See relevant Community environmental protection legislation or the Annex, as applicable.

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Attention: the data below are typical values and do not constitute a specification.

## 9.1 Information on basic physical and chemical properties

**Appearance** 

Color: Orange (fluorescent)

Physical State: Liquid

Odor: Low odor

Odor Threshold: No data available

**pH:** 8.3 - 8.8

Melting Point: Not Applicable

Freezing Point: -37°C (-34.6°F) Maximum Initial Boiling Point: 109°C (228.2°F) (Estimated)

Flashpoint: Not Applicable

Evaporation Rate: No data available

Flammability (solid. gas): No Data Available

Flammability (Explosive) Limits (% by volume in air):

Lower: Not Applicable Upper: Not Applicable

Vapor Pressure: No data available Relative Vapor Density: No data available Density: 1.0682 kg/l @ 20°C (68°F) (Typical)

Solubility: Soluble in water.

Partition coefficient n-octanol/water (logarithmic value): No data available

**Auto-ignition temperature:** No data available **Decomposition temperature:** No data available

**Kinematic Viscosity:** No data available **Explosive Properties:** No Data Available

**Revision Number:** 3 5 of 11 **Yanmar Genuine Engine Coolant Revision Date:** August 23, 2024 **SDS:** 60006

Oxidising properties: No Data Available

9.2 Other Information: No Data Available

#### **SECTION 10 STABILITY AND REACTIVITY**

- **10.1 Reactivity:** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- **10.2 Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
- 10.3 Possibility of hazardous reactions: Hazardous polymerization will not occur.
- 10.4 Conditions to Avoid: Not applicable
- 10.5 Incompatible materials to avoid: Not applicable
- **10.6 Hazardous decomposition products:** Aldehydes (Elevated temperatures), Ketones (Elevated temperatures)

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Product Information:

**Serious Eye Damage/Irritation:** The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Corrosion/Irritation:** The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Sensitization:** The material is not considered a skin sensitizer. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Dermal Toxicity:** The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (dermal): Not Applicable

**Acute Oral Toxicity:** The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (oral): Not Applicable

**Acute Inhalation Toxicity:** The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (inhalation): Not Applicable

**Germ Cell Mutagenicity:** The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Carcinogenicity:** The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Reproductive Toxicity:** This material may damage the unborn child. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Specific Target Organ Toxicity - Single Exposure:** The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Specific Target Organ Toxicity - Repeated Exposure: This material may cause damage to organs

Revision Number: 3 6 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006

through prolonged or repeated exposure. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Aspiration Hazard:** The material is not considered an aspiration hazard.

Component Information:
Serious Eve Damage/Irritation:

Ethylene glycol Based on available data, the classification criteria are not met  Skin Corrosion/Irritation:  Ethylene glycol Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Scolium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Scolium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Cerm Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, th	Serious Eye Damage/Irritation:		
Skin Corrosion/Irritation:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Cerm Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Ethylene glycol	Based on available data, the classification criteria are not met	
Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Oldin Orange dia a llamitatione		
Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Skin Sensitization:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Skin Sensitization: Ethylene glycol Based on available data, the classification criteria are not met Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Dermal Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity: Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure: Ethylene glycol Based on available data, the classification criteria are not met			
Ethylene glycol Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Dermal Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Sodium 2-ethylhexanoate   Based on available data, the classification criteria are not met	Skin Sensitization:		
Sodium 2-ethylhexanoate   Based on available data, the classification criteria are not met	Ethylene glycol	Based on available data, the classification criteria are not met	
Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met		Based on available data, the classification criteria are not met	
Ethylene glycol Based on available data, the classification criteria are not met  Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Sodium 2-ethylhexanoate   Based on available data, the classification criteria are not met	-		
Acute Oral Toxicity:  Ethylene glycol Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Ethylene glycol  Test Qualifier: LD50 Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Acute Inhalation Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Germ Cell Mutagenicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure: Ethylene glycol Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Acute Oral Toxicity:		
Test Result: 1600 mg/kg Species: cat  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Acute Inhalation Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Ethylene glycol	Test Qualifier: LD50	
Species: cat Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Acute Inhalation Toxicity: Ethylene glycol Based on available data, the classification criteria are not met Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Germ Cell Mutagenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure: Ethylene glycol Based on available data, the classification criteria are not met			
Acute Inhalation Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity  Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity  Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity  Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Acute Inhalation Toxicity:		
Based on available data, the classification criteria are not met	·	Perced on available data, the classification criteria are not mot	
Germ Cell Mutagenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study  Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity  Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Ethylene glycol Based on available data, the classification criteria are not met  Carcinogenicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Reproductive Toxicity: Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure: Ethylene glycol Based on available data, the classification criteria are not met	Socialii 2-etiiyiilexanoate	Dased on available data, the classification chieffa are not met	
Based on available data, the classification criteria are not met    Carcinogenicity:   Ethylene glycol   Based on available data, the classification criteria are not met	Germ Cell Mutagenicity:		
Carcinogenicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Ethylene glycol	Based on available data, the classification criteria are not met	
Ethylene glycol  Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Ethylene glycol  Based on available data, the classification criteria are not met  Based on available data, the classification criteria are not met  Reproductive Toxicity:  Ethylene glycol  Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	O-main a manufaith in		
Reproductive Toxicity:  Ethylene glycol Sodium 2-ethylhexanoate  Based on available data, the classification criteria are not met  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met			
Reproductive Toxicity:  Ethylene glycol Based on available data, the classification criteria are not met  Sodium 2-ethylhexanoate Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met			
Ethylene glycol  Sodium 2-ethylhexanoate  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	
Sodium 2-ethylhexanoate  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Reproductive Toxicity:		
Sodium 2-ethylhexanoate  Protocol: Developmental Toxicity Study Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate  Protocol: OECD 415 - One-Generation Reproduction Toxicity Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met	Ethylene glycol	Based on available data, the classification criteria are not met	
Test Result: May damage fertility or the unborn child if ingested based on anima data  Sodium 2-ethylhexanoate		Protocol: Developmental Toxicity Study	
Test Result: May damage fertility or the unborn child if ingested based on anima data  Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol  Based on available data, the classification criteria are not met		Test Result: May damage fertility or the unborn child if ingested based on animal	
Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met	Sodium 2-ethylhexanoate		
Specific Target Organ Toxicity - Single Exposure:  Ethylene glycol Based on available data, the classification criteria are not met		1.	
Ethylene glycol Based on available data, the classification criteria are not met			
	Specific Target Organ Toxicity - S	•	
Sodium 2-ethylhexanoate Based on available data, the classification criteria are not met			
	Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	

Revision Number: 3 7 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006

Specific Target Organ Toxicity - Repeated Exposure:		
Ethylene glycol	Test Result: May cause damage to organs through prolonged and repeated exposure if ingested based on human data	
Ethylene glycol	Test Result: May cause damage to organs through prolonged and repeated exposure if inhalation based on human data	
Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met	

#### ADDITIONAL TOXICOLOGY INFORMATION:

This product contains ethylene glycol (EG). The toxicity of EG via inhalation or skin contact is expected to be slight at room temperature. The estimated oral lethal dose is about 100 cc (3.3 oz.) for an adult human. Ethylene glycol is oxidized to oxalic acid which results in the deposition of calcium oxalate crystals mainly in the brain and kidneys. Early signs and symptoms of EG poisoning may resemble those of alcohol intoxication. Later, the victim may experience nausea, vomiting, weakness, abdominal and muscle pain, difficulty in breathing and decreased urine output. When EG was heated above the boiling point of water, vapors formed which reportedly caused unconsciousness, increased lymphocyte count, and a rapid, jerky movement of the eyes in persons chronically exposed. When EG was administered orally to pregnant rats and mice, there was an increase in fetal deaths and birth defects. Some of these effects occurred at doses that had no toxic effects on the mothers. We are not aware of any reports that EG causes reproductive toxicity in human beings.

2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet. When administered to pregnant rats by gavage or in drinking water, 2-EXA caused teratogenicity (birth defects) and delayed postnatal development of the pups. Additionally, 2-EXA impaired female fertility in rats. Birth defects were seen in the offspring of mice who were administered sodium 2-ethylhexanoate via intraperitoneal injection during pregnancy.

#### 11.2 Information on other hazards

No other hazards identified.

# **SECTION 12 ECOLOGICAL INFORMATION**

#### **Product Information:**

# 12.1 Toxicity

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

# 12.2 Persistence and degradability

This material is expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

# 12.3 Bioaccumulative potential

Bioconcentration Factor: No Data Available

Partition coefficient n-octanol/water (logarithmic value): No data available

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This product is not, or does not contain, a substance that is a potential PBT or a vPvB.

# 12.6 Endocrine Disrupting Properties

This mixture does not contain any substances that are assessed as having endocrine disrupting properties.

## 12.7 Other adverse effects

No other adverse effects identified.

**Revision Number:** 3 8 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024

**SDS**: 60006

**Component Information:** 

Acute Toxicity:	
Ethylene glycol	Based on available data, the classification criteria are not met
Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met

Long-term Toxicity:	
Ethylene glycol	Based on available data, the classification criteria are not met
Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met

Biodegradation:	
Ethylene glycol	Based on available data, the classification criteria are not met
Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met

Bioaccumulative Potential:	
Ethylene glycol	Based on available data, the classification criteria are not met
Sodium 2-ethylhexanoate	Based on available data, the classification criteria are not met

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by international, country, or local laws and regulations. In accordance with European Waste Catalogue (E.W.C.) the codification is the following:16 01 14

#### SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

#### ADR/RID

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

# ICAO / IATA

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

**14.4 Packing group:** Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

#### **IMO / IMDG**

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

Revision Number: 3 9 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable 14.6 Special precautions for user: Not applicable

14.7 Maritime Transport in Bulk according to IMO Instruments: Not applicable

# **SECTION 15 REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **REGULATORY LISTS SEARCHED:**

01=EU Directive 76/769/EEC: Restrictions on the marketing and use of certain dangerous substances. 02=EU Directive 90/394/EEC: Carcinogens at work.

03=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.

04=EU Directive 2012/18/EU: Seveso III.

05=EU Directive 98/24/EC: Chemical agents at work.

06=EU Directive 2004/37/EC: On the protection of workers.

07=EU Regulation EC No. 689/2008: Annex 1, Part 1.

08=EU Regulation EC No. 689/2008: Annex 1, Part 2.

09=EU Regulation EC No. 689/2008: Annex 1, Part 3.

10=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).

11=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.

12=EU REACH, Annex XIV: Authorization List or Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.

Ethylene glycol

Sodium 2-ethylhexanoate 02, 03, 05, 11

#### CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), EINECS (European Union), ENCS (Japan), IECSC (China), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

#### 15.2 Chemical safety assessment

No chemical safety assessment.

# **SECTION 16 OTHER INFORMATION**

**REVISION STATEMENT:** No revision information

Revision Date: August 23, 2024

#### **Full text of CLP H-statements:**

Acute Tox. 4/H302; Harmful if swallowed

Repr. 1B/H360D; May damage the unborn child

STOT RE 2/H373; May cause damage to organs through prolonged or repeated exposure

# ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit
CVX - Chevron	CAS - Chemical Abstract Service Number
NQ - Not Quantifiable	

**Revision Number:** 3 10 of 11 Yanmar Genuine Engine Coolant

Revision Date: August 23, 2024 **SDS**: 60006 Prepared according to the EU Regulation 1907/2006 (as amended) by Chevron.

The information in this SDS is based on the knowledge, information, and belief of Chevron and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.

No Annex

Revision Number: 3 11 of 11 Yanmar Genuine Engine Coolant Revision Date: August 23, 2024 SDS: 60006